

Due to its experience and high quality products, Decolam is able to guide you and manufacture your non-standard applications for high-end projects such as these unique and beautiful partitions at the restaurant Chez Victor in Saint-Romuald.

+
+
+
+



Toilet Partitions

OTHER DECOLAM PRODUCTS

Decolam is a market leader, thanks to its innovative flair and the high quality of the components and products that it manufactures.

- + solid phenolic or plastic laminate laboratory surfaces;
- + handrails and pushbars;
- + wall paneling;
- + squash and racquetball court walls.

TONS OF COLOR

In addition to the fifteen colors that we stock for fast delivery, Decolam is working with the leading manufacturers to offer you hundreds of colors.

ARBORITE

Pionite
Decorative Laminates

FORMICA

NEAMAR
DECORATIVE SURFACES

WILSONART
INTERNATIONAL



Jules-Dallaire Complex, Québec, Noble Series, Signature style.

Decolam

2145, rue Lavoisier
Québec (Québec)
Canada G1N 4B2

Information:
T: 418-527-2544
F: 418-687-1266
info@decolam.com

www.decolam.com

Distributor:

Decolam

+
+
+
+



Toilet Partitions

Decolam is one of the leading toilet partitions manufacturers since 1971. The company is proud to present its partitions line, which was specifically designed to meet the needs of all commercial buildings. We are THE reference in terms of **quality** and **service**.



Quality and service since 1971

Whether it is for businesses, industries, schools, universities, restaurants, parks or any other establishment, Decolam has what you need. Our toilet partitions are available in a wide range of designs, styles, colors and finishes.

In addition to this variety, both Decolam series will fill all of your needs and are ideal for any situation.

Prestige Series: Entirely made of solid phenolic, this series is suited for high traffic areas or where vandalism may occur, such as in schools, commercial buildings and prisons. It is also ideal for wet areas like pools and spas.


Noble Series: The pilasters are made of solid phenolic for structural support. The doors and panels consist of high pressure plastic laminate bonded to a 45 lbs. density particleboard core. This series is recommended for office buildings, restaurants, primary schools or less busy areas.



THE ENVIRONMENT: A COMMITMENT

In times of eco responsibility and durable green construction, Decolam is proud to help architects obtaining LEED credits. By using local materials and resources and choosing pre/post recycled products that are GREENGUARD low emission certified, Decolam achieves this ecological goal.

At Decolam, environment is much more than an accreditation. For many years, we have been serious and committed to this resolution. There is almost no material waste, and we developed a "Natura" option for both series.



All components (pilasters, doors and panels) are manufactured from 19 mm (¾") thick solid phenolic.

This series is best for crowded areas and for high humidity environments such as shower rooms or where high pressure water cleaning is required.



Neet, durable design

Exceptionally long-lasting, Prestige series toilet partitions are sturdy and strong. **They are resistant to shocks, scratches and graffiti.** Paint and marker stains are easy to remove.

Unique robustness is achieved using our institutional grade, vault type hinge in combination with the strongest anti-grab headrail on the market.

Decolam stocks several colors for quick delivery. A wide variety of colors and finishes is available on demand.

Easy to install


Decolam toilet partitions are custom made in our plant to meet your requirements. They are **easy to install and necessitate little maintenance.** Replacement parts are also available for defective or damaged materials.



Try our spec wizard at www.decolam.com

These panels are made of multiple layers of kraft paper impregnated in phenolic resin. The assembly is done using a special process, resulting in a highly resistant material. The layers are pressed together at an intense heat, so they fuse to form an incredibly strong, homogeneous and water resistant material. This allows resistance to vandalism, oil staining, fungal growth and cigarette burns.

Decolam solid phenolic partitions are resistant to scratches and wear. Unlike metal partitions, they don't rust or require any repainting. To clean, use a damp sponge or rag. Tougher marks can be removed using household solvent.



Styles available:



DECOLAM QUALITY AND SERVICE

Decolam toilet partitions are quickly delivered and installed. Furthermore, we offer an efficient estimation and design service for professionals.

Our partitions meet the NFBA Class B requirements for fire. On demand, they can reach Class A.

Due to our high quality products, our material and door hardware are both guaranteed for five years against delamination and warping.

NATURA OPTION




For an ecological choice, opt for a recycled core made of 80% post-industrial content.

Toilet Partitions

Pilasters are made of 19 mm (¾") thick **solid phenolic** for structural support.

Doors & panels are manufactured with plastic laminate bonded to a **particle board with a 50 mm (2") solid phenolic edge**.



A wide variety of colors and finishes

Decolam Noble Series toilet partitions are offered in a wide choice of colors and finishes. **They are resistant to shocks, scratches and graffiti.** Paint and marker stains are easy to remove.

Our institutional grade, classical style hardware fits most decoration types. It offers durability and ease of operation.

The secret to the exceptional strength of the series is the solid phenolic edges which anchor most of the components.

Decolam stocks several colors for quick delivery. A wide variety of colors and finishes is available on demand.

Easy to install


Decolam toilet partitions are custom made in our plant to meet your requirements. They are **easy to install and necessitate little maintenance**. Replacement parts are also available for defective or damaged materials.




Try our spec wizard at www.decolam.com

PLASTIC LAMINATE WITH SOLID PHENOLIC EDGES

These panels are constructed from a plastic laminate hermetically bonded to a 45 lbs. density particleboard.



The 50 mm (2") solid phenolic edges prevent moisture penetration and ensure greater strength to install hardware and accessories.



Styles available:



DECOLAM QUALITY AND SERVICE

Decolam toilet partitions are quickly delivered and installed. Furthermore, we offer an efficient estimation and design service for professionals.

Our partitions meet the NFBA Class B requirements for fire.

Due to our high quality products, our material and door hardware are both guaranteed for five years against delamination and warping.

NATURA OPTION



For an ecological choice, opt for a green particleboard, with no urea formaldehyde added.




Floor mounted overhead braced

This type of partitions is the most widely used. It works well in both newly constructed and renovated buildings. The headrail provides a sturdy, practical structure that is ideal for busy locations like schools and public places.



Wall-to-wall

This type of partitions was first used by Decolam. It keeps both the floor and the ceiling obstruction free. It is necessary to install a structural beam that crosses the room and that is supported on cement blocks.




Floor to ceiling

This type of partitions is necessary in locations that are very busy and where the installation of a headrail is not recommended, such as prisons and several hospital aisles. A solid structure from floor to ceiling is required.



Signature

These European-style panels are supported by stainless steel, adjustable bases. The front is free of obstruction for easy cleaning, and the panels and doors are 1 800 mm (70") high for maximum privacy.



Ceiling hung

This type of partitions is convenient in public places such as office buildings. It keeps the floor completely free of obstructions, which enables easy floor cleaning. However, these partitions require a ceiling mount system (see attachment details, two types available).



Floor mounted only

This type of partitions is ideal for locations where the ceilings are non-standard. It is also preferred for its contemporary style. A 2" thick cement floor is the minimum requirement.



Try our spec wizard at
www.decolam.com

OPTIONS AVAILABLE ON ALL PRODUCTS

NO SIGHT OPTION

This option includes a strip of black polypropylene embedded on both sides of the door. This innovation completely eliminates any undesirable openings to provide full privacy.

MAXIMUM PRIVACY OPTION

In this option, we manufacture 1 800 mm (70") high doors and panels and install them at 100 mm (4") from floor for maximum privacy.

Toilet partitions

Decolam institutional grade is available in **stainless steel** or **Zamak 5** (very resistant and anti-corrosive zinc, aluminum and copper alloy) with a satin chrome finish. It was specially designed to support heavy loads such as solid phenolic partitions.



Institutional grade high quality hardware

A Anchoring shoe
 Made of stainless steel, proportionally wide to the pilaster and invisible from the exterior face.



A Wraparound shoe
 Optional and made of stainless steel.



B Mounting bracket
 This continuous U-shaped bracket made of anodized aluminum is 50 mm (2") deep to allow maximum privacy.




C Coat hook
 Combined coat hook and bumper.



D Handle
 Chrome plated, D-shaped handle, ADA compliant.




E Headrail
 Anti-grip design made of ultra-strong anodized aluminum with integrated rails for shower curtain slide carriers.



F Upper and lower hinges
 Heavy duty gravity type system. Institutional grade, self-lubricating, in-swing and out-swing. The double nylon cam mechanism provides weight support and is adjustable to hold the door opened at any angle up to 105 degrees.



G Latch and bumper keeper
 Sliding latch. The bumper keeper has a neoprene cushion and is designed for both in and out swinging doors.
Emergency opening mechanism.



FIVE-YEAR WARRANTY

Decolam offers a five-year warranty on manufacturing and materials, in the case of an appropriate installation and a normal use.

It covers the replacement or reparation of defective parts, but not the work required to repair or replace such parts or components.